www.acteongroup.com

For further information, please contact: SOPRO S.A. | A company of ACTEON Group ZAC Athélia IV | Avenue des Genévriers | 13705 LA CIOTAT cedex | FRANCE Tel + 33 (0) 442 98 01 01 | Fax + 33 (0) 442 71 76 90 E-mail : info@sopro.acteongroup.com | www.acteongroup.com





THE PRINCIPLE OF AUTOFLUORESCENCE

- 1) The photons provided by an external light source illuminate the tooth tissues (enamel and dentine).
- 2) The energy applied by the excitation source (Blue LED) to the tooth tissues causes an energy surge in the material's elementary particles, which then become very unstable.
- 3) To be able to return to a situation of stability, the excess energy is released by emitting photons lower in energy than the excitation source and those with higher wavelength (Stokes' Law).



(RFAIDROFIMAGING INNOVATIONS

MORE INVENTIVE

PATENTED AUTOFLUORESCENCE **TECHNOLOGY**

The ACTEON[®] imaging team has patented a technology based on the principle of autofluorescence.

ACTEON[®] intraoral cameras provide a real-time fluorescence signal of the tooth superimposed on its anatomical image, revealing invisible tissues.

SELECTIVE CHROMATIC **AMPLIFICATION**

Due to the combination of blue light absorption by soft tissue and selective chromatic amplification, SOPROCARE® improves visibility of all areas of tissue inflammation.

OF ANATOMICAL TOOTH IMAGE AND FLUORESCENCE SIGNAL

ALAIN MAZUIR **R&D** Innovations Project Manager

"Our scientific and clinical research* in collaboration with universities and key opinion leaders all around the world, help **b** us develop relevant innovations that meet the perpetually evolving clinical needs.

In the autofluorescence field, this synergy of knowledge resulted in the creation of an international scientific congress. This approach of innovation applies to all products that we are developing within ACTEON[®]."



LESS INVASIVE

HIGHLIGHT PATHOLOGIES AND MOTIVATE PATIENTS

The autofluorescence makes it possible to **detect decay even at its earliest stages**, without subjecting the patient to any unnecessary radiation. SOPROCARE[®] also **reveals dental plaque** without using plaque disclosing solutions, and highlights gingival inflammation painlessly.

Improve clinical performance and easily communicate the treatment plan to your patient. The patient is involved in making decisions and accept the treatment.

Images can be captured and **stored into any imaging software** giving you all of the necessary tools to practice minimally invasive dentistry.

* Some examples of sponsored studies:

Performance of a light fluorescence device for the detection of microbial plaque and gingival inflammation. Peter Rechmann, Shasan W. Liou, Beate M. T. Rechmann, John D. B. Featherstone, in Clin Oral Invest, 2016. Use of new minimum intervention dentistry technologies in caries management. H Tassery, B Levallois, E Terrer, DJ Manton, M Otsuki, S Koubi, N Gugnani, I Panayotov, B Jacquot, F Cuisinier, P Rechmann, in Australian Dental Journal, 2013. Functional mapping of human sound and carious enamel and dentine with Raman spectroscopy. H. Salehi, E. Terrer, I. Panayotov, B. Levallois, B. Jacquot, H. Tassery, F. J. G. Cuisinier, in Journal of BioPhotonics, 20 September, 2012.

DIAGNOSE AND TREAT CARIES

ENHANCE CLINICAL EXAMINATION CAPABILITIES





DAYLIGHT mode Initial situation



DIAGNOSTIC aid mode Demineralization over the mesial marginal crest revealed



DAYLIGHT mode Opened cavity



TREATMENT aid mode Demineralized enamel and infected tissue





DAYLIGHT mode Initial situation



CARIO mode Carious lesion revealed



CARIO mode Infected tissue



CARIO mode all the infected dentine has been removed

Take the guesswork out of caries detection

Autofluorescence improves your vision during clinical examination and expands your diagnostic capabilities. Highlight caries and provide the most appropriate treatment for your patients.

Diagnose early carious lesions for less invasive treatment

Manage your clinical decisions depending on the individual's caries risk and preserve tooth structure.

Protect your patient from unnecessary radiation

The fluorescence concept surpasses the limitations of digital radiology in the detection of caries. Promote better patient care by reducing the number of necessary X-rays.

Save time

Speed up the decision-making process by improving your diagnostic capabilities and optimising your clinical examination.

Eliminate uncertainty

Easily distinguish between healthy and infected tissue to determine the limits of excavation, and consequently preserve the pulp.

Fluorescence makes treatment easier, improving efficiency and productivity.

Improve the quality of your treatment

Preserve healthy teeth whilst removing all infected tissue.

SOPROCARE SOPROLIFE







TREATMENT aid mode All the infected tissue has been removed



Effective and atraumatic sulcular opening.

Especially indicated for the treatment of class II & V caries.

EXPASY



Ultrasonic tips for minimally invasive excavation



REVEAL DENTAL PLAQUE AND GINGIVAL INFLAMMATION

INSTANTANEOUSLY IGHI IGHT

PLAQUE AND GINGIVAL INFLAMMATION

Perform a complete and rapid assessment of the patient's oral health, without adding plaque disclosing solution.

- Gingival inflammation: from hues of pink to deep magenta depending on the severity
- **New plague**: grainy white
- Old plaque: shades of yellow and orange



Chromatic mapping representing the characterization of tissues in PERIO mode

IOUE PROPHYLAXIS PROTO

Fluorescence brings better vision for a faster and more efficient treatment.



Diagnosis and Communication with patients SOPRUCARE

PREVENT HYGIENE PATHOL



Early identification of hygiene pathologies will result in early intervention and minimally invasive treatment.

Maintain the patient's health and the longevity of their natural dentition.

Treatment finishing by Polishing AIR FASY

DAYI IGHT mode



REFORE





DAYLIGHT mode Initial situation PERIO mode Initial situation

IMPROVE CASE ACCEPTANCE

Ensure your patient realises the importance of oral hygiene, and enable them to better understand the information provided during the appointment.

Psychological, behavioral, and clinical effects of intra-oral camera: a randomized control trial on adults with gingivitis. M-R Araúja, M-J Alvarez, C A Godinho, C Pereira, in Community Dentistry and Oral Epidemiology, 2016.



Encourage your patient by showing them their progress over time, for long term quality treatment.

SOPROCARE WITH FLUORESCENCE



Guided treatment in real time NEWTRON FORBLED



AFTER



DAYLIGHT mode One week after treatment



PERIO mode ► One week after treatment

SEE THE INFINITELY SMALL

COMMUNICATE AND MOTIVATE WITH AN IMAGE



Dental cavity preparation



Cracked tooth



Infiltrated occlusal groove



Cervical lesion

SOPROCARE SOPROLIFE SOPRO 717 FIRST

ACTEON® intraoral cameras exceed the limitations of the naked eye and offer high guality images with magnification of up to 115* times.

With MACROVISION, the infinitely small appears before your eyes.

THIS IS MACROVISION

Enhance your vision during examination See details otherwise not visible to the naked eye. Closely monitor

micro fractures and the development of small lesions.

Improve your clinical performance Take a more detailed look into dental cavity preparation and be more accurate during treatment.

Improve patient communication

Highlight pathologies in an image and easily explain clinical procedures. Facilitate dialogue to address objections and patient concerns.

Increase treatment acceptance Patients become more involved, meaning

they soon understand the importance of their planned treatment. Improve efficiency and productivity!

Educate your patient

Use real images to make the patient more attentive and confident about your advice.

Follow up

Provide effective and efficient treatment planning by saving the images directly into the patient chart. Easily compare images from past patient visits and monitor progress.



SOPROCARE SOPROLIFE SOPRO 717 FIRST SOPRO 617

PHOTOS THAT DO ALL THE TAI KING

SOPRULIFE

SOPRUCARE

AUTOFLUORESCENCE HIGHLIGHTS DECAY AND PROMOTES MINIMALLY INVASIVE TREATMENT



DIAGNOSTIC aid mode



TREATMENT aid mode



DAYLIGHT mode

The power of autofluorescence

- DIAGNOSTIC aid mode: identify the development of occlusal and proximal carious lesions.
- TREATMENT aid mode: perform minimally invasive treatment by preserving healthy tissue.
- DAYLIGHT mode: from portrait to macrovision, obtain sharp images with the large depth of field.

SOPROLIFE® offers two different visions: white light (daylight) and blue light (fluorescence).





SELECTIVE CHROMATIC AMPLIFICATION DIFFERENTIATES THE COLOUR OF TISSUE AND REVEALS ORAL HYGIENE PATHOLOGIES







PERIO mode

SOPR

CAR



DAYLIGHT mode



3 needs, 3 modes

• CARIO mode: caries are detected as red, surrounding tissue is displayed in black and white.

• PERIO mode: highlight plaque, calculus, and gingival inflammation.

· DAYLIGHT mode: communicate more effectively with your patient and see details that are not visible with the naked eye.

SOPROCARE® is an unparalleled communication tool in the dental practice!

> With the push of a button, SOPROCARE® instantly and easily highlights caries, plaque, calculus and gingival inflammation.



SOPRU617

MACROVISION **REVEALS WHAT WAS ONCE INVISIBLE**



State of the seal of the amalgam



Infiltration of the metallic ions



Infiltrated occlusal groove

Magnification of the image up to 115 times*

- Large depth of field from extraoral to macrovision
- Exceptional image quality provided by a highly sophisticated optical system
- Extremely small camera head for easier access
- Successfully capture images with a simple glide over the SOPRO[®] touch

SOPRO[®] 717 reveals micro fissures, infiltrations, lesions, everything that is not visible with the naked eye.





COMMUNICATE WITH YOUR PATIENTS: USE AN IMAGE, THE KEY TO EDUCATION AND CASE ACCEPTANCE











One tooth

SOPR

D

Simplicity in the palm of your hand

• Rounded shape and thin distal part for maximum accessibility and unrivaled patient comfort

• 105° angle of view for better exploration of distal areas

• Fixed focus with large depth of field, providing high quality images

• Ease of use: point and shoot 🔛

SOPRO[®] 617 is easy to use for patient communication, and a great asset for case acceptance.

TECHNICAL SPECIFICATIONS

SOPRUCARE S

Highlight dental plaque	\checkmark			
Highlight gingival inflammation	\checkmark			
Reveal caries	\checkmark	\checkmark		
Macrovision	\checkmark	\checkmark	\checkmark	
Intraoral image	\checkmark	\checkmark	\checkmark	\checkmark



The medical devices for dental care SOPROCARE®, SOPROLIFE®, SOPRO® 617, SOPRO® 717 First, Mini Dock USB2 and Mini Dock U-USB2 are of class I and manufactured by SOPRO®. NEWTRON® and EXCAVUS® are of class IIa and manufactured by SATELEC®, notified body LNE/GMED CE0459, EXPASYL is of class I and manufactured by PIERRE ROLAND®. These medical devices are not refunded by health insurance organizations. Read carefully the instructions on the labelling before use.

SOPROCARE[®], SOPROLIFE[®], SOPRO[®] are registered trademarks of SOPRO. "All other trademarks cited herein are the property of their respective owners"

SOPRUCARE

High sensitivity	
Resolution	(752x582) PAL ; (768x494) NTSC
• Lighting	7 LED (4 white; 3 blue)
Adjustment	4 pre-set positions (Extraoral, Intraoral, One tooth, Macro)

SOPRULIFE

• High sensitivity	
Resolution	(752x582) PAL ; (768x494) NTSC
• Lighting	White Mode: 4 LED; Blue Mode: 4 LED
• Adjustment	4 pre-set positions (Extraoral, Intraoral, One tooth, Macro)

SOPRU717

• High sensitivity	
• Resolution	(752x582) PAL ; (768x494) NTSC
Definition	
Sensitivity	2 lux
• Lighting	
• Adjustment	3 pre-set positions (Extraoral, Intraoral, Macro)

SOPRUB17

High sensitivity	
Resolution	(752x582) PAL ; (768x494) NTSC
Definition	
Sensitivity	
• Lighting	
• Adjustment	fixed focus

WORKSTATION CONFIGURATION

WINDOWS® MINIMUM CONFIGURATION REQUIRED

Operating system	Windows [®] 7
Processor	Quadcore 2.6 Ghz
• RAM	4 GB
• Hard disk	
• USB ports	2 USB 2.0 Hi-Speed ports
Graphic card	1 GB dedicated RAM (suggested NVIDIA GT/GTX)
• USB Chipset	Intel [®] or NEC [®] / RENESAS [®]
Screen resolution	1600 x 1024
• Ethernet board	100 Mbps - 1 Gbps

MAC[®] MINIMUM CONFIGURATION REQUIRED

Computer	MacBook [®] Pro 13.3" or iMac [®] 21.5"
Operating system	
Processor	Quadcore 2.6 Ghz
• RAM	4 GB
• Ethernet board	1 Gbps

For Yosemite and El Capitan operating systems, a Mac[®] from 2013 or later is required.



• Freeze Frame with SOPRO Touch or pedal	(option)
Angle of view	
• Cable length	2,5 m
Dimensions (mm)	L. 200 x W. 30 x H. 24
• Weight	78 g

Freeze Frame with SOPRO Touch or pedal	(option)
Angle of view	70°
Cable length	2,5 m
Dimensions (mm)	L. 200 x W. 30 x H. 24
• Weight	78 g

• Freeze Frame with SOPRO Touch or pedal	(option)
Angle of view	
Cable length	2,5 m
Dimensions (mm)	L. 200 x W. 28 x H. 24
• Weight	75 g

• Freeze Frame with SOPRO Touch or pedal.	(option)
Angle of view	
Cable length	2.5 m
Dimensions (mm)	L. 205 x W. 28 x H. 24
• Weight	55 g

WINDOWS® RECOMMENDED CONFIGURATION

Operating system	Windows® 10
Processor:	Quadcore 2.6 Ghz
• Ram:	8 GB
• Hard disk	1 TB
• USB ports	4 USB2 Hi-Speed ports
Graphic card	Dedicated graphics card with at least 1 GiB memory
• USB Chipset	Intel® or NEC® / RENESAS®
Screen resolution	1920 x 1080 for optimal planning or better
• Ethernet board	1 Gbps

MAC[®] RECOMMENDED CONFIGURATION

Computer	iMac® 27"
Operating system	10.14 Mojave
• Processor	Quadcore 2.6 Ghz+
• RAM	8 GB
• Ethernet board	1 Gbps



Mini Dock U-USB2

• Power Supply: 5 VDC (from USB port)

- Power consumption: 2.5 VA
- One digital USB 2.0 output
- Dimensions (mm): L 48 x W 48 x H 30
- Weight: 22g



Mini Dock USB2

 One digital USB 2.0 output
Dimensions (mm): L. 64,5 x W. 26 x H. 11
Weight: 97 g.







